


<b>SAFETY DATA SHEET</b>		<b>PR/EOHD/OHS/F-310</b>	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 1 of 10	

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier	
<b>Product Name:</b>	Ethylene Propylene Rubber (Oil Grade)
<b>Other/Generic Names:</b>	EPR, EPDM
<b>Grades:</b>	600, 601, 670
<b>REACH Registration Number:</b>	Not applicable
<b>EC Number:</b>	Not available
<b>CAS Number:</b>	Not available
<b>Molecular formula:</b>	Not available
<b>Molecular Structure:</b>	Not available
<b>Molecular weight range:</b>	Not available

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<p><b>IDENTIFIED USES:</b>                  Rubber applications                  Manufacturing of rubber objects</p> <p><b>MOST COMMON TECHNICAL FUNCTION OF SUBSTANCE (WHAT IT DOES):</b>                  Construction, automotive, kitchen products</p> <p><b>USES BY CONSUMERS ADVISED AGAINST</b>                  Final product.</p>
--


### 1.3 Manufacturer or supplier's details

<b>Manufacturer</b>	Rabigh Refining and Petrochemical Company		
<b>Address</b>	<p><b>PLANT</b>                  PO Box 101, Rabigh 21911, Kingdom of Saudi Arabia</p> <p>Tel: +966 12 425 0390                  Free Number: 800 440 9000</p>		
<b>E-mail address of person responsible for this SDS</b>	<a href="mailto:stephane.dallaire@petrorabigh.com">stephane.dallaire@petrorabigh.com</a>		
<b>Emergency telephone numbers (24-hour)</b>	Asia Pacific (except China):	CareChem 24 +65 3158 1074	English, Cantonese, Indonesian, Japanese, Korean, Malay, Mandarin, Thai, Vietnamese
	China (Off-land):	CareChem 24 +86 512 8090 3042	English, Mandarin
	US, Canada: Outside above area:	ChemTrec 1-800-424-9300 +703-527-3887	English
	Europe, America, Middle East, Africa (Europe & English Speaking):	CareChem 24 +44 (0) 1235 239 670	English, Albanian, Bulgarian, Czech, Danish, Dutch, Finnish, French, German, Greek, Hungarian, Italian, Lithuanian, Norwegian, Polish, Portuguese, Romanian, Russian, Serb-Croat, Slovak, Spanish, Swedish, Turkish, Ukrainian
	Middle East & Africa (Arabic speaking):	CareChem 24 +44 (0) 1235 239 671	English, Arabic, French

## SECTION 2: Hazards Identification

### 2.1 Classification of the substance or mixture

<b>Product Definition:</b>	Ethylene Propylene Rubber (Oil Grade)
<b>Classification according to Directive 67/548/EEC [DSD]:</b>	Not classified.  Under normal conditions of use, the material is not expected to create unusual emergency hazards.

<b>SAFETY DATA SHEET</b>		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 2 of 10	

<b>2.2 Label elements</b>	
Hazard pictograms (Labelling according Regulation (EC) No 1272/2008):	Not Applicable
Signal word:	Not Applicable
Hazard statements:	Not Applicable
<b>Precautionary statements</b>	
Prevention:	Not Applicable
Response:	Not Applicable
Storage:	Not Applicable
Disposal:	Not Applicable
<b>Special packaging requirements</b>	
Containers to be fitted with child-resistant fastenings:	Not applicable
Tactile warning of danger:	Not applicable
<b>2.3 Other hazards</b>	
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII:	Not applicable
Substance meets the criteria for vpvB according to Regulation (EC) No. 1907/2006, Annex XIII:	Not applicable
Other hazards which do not result in classification:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vpvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

<b>3.1 Classification of the substance or mixture</b>					
Substance/mixture					
Product/ Ingredient name	Identifiers	Wt%	Classification		
			Directive 1999/45/EC	Regulation (EC) No. 1272/2008 [CLP/GHS]	Type
Ethylene propylene ethylidene Nonbornene copolymer	EC: Not provided CAS: 25038-36-2	40 - 90 %	This substance is not classified as dangerous	Not a hazardous substance	[A]
Mineral oil	Not available	10 - 60 %	Classification not possible	H319: Causes serious eye irritation	[A]
Additives	Not available	≤ 1.0 %	Classification not possible	Not applicable	[B]


There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

**Type**

[A] Constituent; [B] Stabilizing additive; Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

<b>4.1 Description of first aid measures</b>	
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Apply artificial respiration if victim is not breathing. Rinse nose, mouth and throat with water. Keep victim warm with a blanket etc. Get immediate medical advice/attention. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Skin contact</b>	Remove/take off immediately contaminated clothing and shoes. Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Burns (in contact with molten product or heated product): Immediately immerse in large amount of cold water, or flush with large amounts of water the affected area to dissipate heat. While flushing, remove clothes which do not adhere to affected area. Cover with clean cotton sheeting or gauze. Get immediate medical advice/attention.

<b>SAFETY DATA SHEET</b>		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 3 of 10	

<b>Eye contact</b>	Do not rub eye. Hold eyelids apart. Begin to rinse with water as soon as possible and rinse cautiously for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention. Burns (in contact with molten product or heated product) : Immediately immerse in large amount of cold water, or flush with large amounts of water the affected area to dissipate heat.
<b>Ingestion</b>	Rinse mouth. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Keep victim warm with a blanket etc. Get immediate medical advice/attention. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Administer oxygen if breathing is difficult. Apply artificial respiration if victim is not breathing.
<b>Protection of first-aiders</b>	Use personal protective equipment as required. No specific advice, treat symptomatically.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Potential acute and delayed health effects

<b>Inhalation</b>	No information available
<b>Skin contact</b>	Skin absorption may cause effects similar to those described for inhalation.
<b>Eye contact</b>	No information available
<b>Ingestion</b>	Ingestion (If swallowed): Vomiting and other symptoms similar to those listed under 'Inhalation'.

##### Over-exposure signs/symptoms

<b>Eye contact</b>	No specific data available
<b>Inhalation</b>	No specific data available
<b>Skin contact</b>	No specific data available
<b>Ingestion</b>	No specific data available

#### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	Treat symptomatically. Contact poison treatment specialist immediately if eyes were exposed to large quantities or large quantities have been ingested or inhaled. Use PPE such as gloves, goggles and masks.
<b>Specific treatments</b>	No specific information

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Small fires: Dry chemical powder, carbon dioxide, water spray, regular foam Large fires: Water spray, fog, regular foam
<b>Unsuitable extinguishing media</b>	Straight streams

### 5.2 Special hazards arising from the substance of mixture

<b>Hazards from the substance or mixture</b>	Flammable/combustible material. Will be easily ignited by ignition sources such as heat, mechanical sparks, static discharge or open flames. Powders and dusts may form explosive dust clouds with air. When heated, decomposition gases may form explosive mixtures with air. Containers may explode when heated. Risk of fire and explosion on contact with incompatible material(s). Contact with molten substance/product may cause severe burns to skin and eyes. Fire may produce flammable and/or harmful gases (See "10. Stability and reactivity") . For large fires, withdraw from fire area and let fire burn. May re-ignite after fire is extinguished. Runoff and fire-control water may pollute waters.
<b>Hazardous thermal decomposition products</b>	Fumes produced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural/synthetic materials, must be considered toxic.


### 5.3 Advice for firefighters

<b>Special protective actions for fire-fighting</b>	Keep upwind. Keep unauthorized personnel away. If possible, remove containers exposed to heat or cool with water. For large fires, withdraw from fire area and let fire burn. Dike fire water for later disposal; do not spread the material. Cool containers with flooding quantities of water until well after fire is out.
<b>Specific protective equipment for fire-fighting</b>	Keep upwind. Keep unauthorized personnel away. If possible, remove containers exposed to heat or cool with water. For large fires, withdraw from fire area and let fire burn. Dike fire water for later disposal; do not spread the material. Cool containers with flooding quantities of water until well after fire is out.

## SECTION 6: Accidental release measure

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
------------------------------------	---

<b>SAFETY DATA SHEET</b>		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 4 of 10	

<b>For emergency responders</b>	Wear appropriate protective equipment. Use personal protection recommended in "8. Exposure control/personal protection". Isolate spill or leak area for proper distance in all directions. Provide adequate ventilation. Keep upwind. Do not touch or walk through spilled material.
---------------------------------	--

### 6.2 Environmental precautions

Prevent entry spilled material and runoff from spillage control into waterways, sewers, basements or confined areas. Avoid release to the environment.

### 6.3 Methods and materials for containment and cleaning up

<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Mop up and place in an appropriate and properly labeled waste disposal container. Dispose of via a licensed waste disposal contractor.
<b>Large spill</b>	Stop leak if without risk. Remove all sources of ignition. Ensure adequate ventilation. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wet down with water and dike. Contain collected material in dry and clean containers for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

### 6.4 Reference to other sections

See Section 1 for emergency contact information.  
 See Section 8 for information on appropriate personal protective equipment.  
 See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

*The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).*

### 7.1 Precautions for safe handling

<b>Protective measures</b>	ELIMINATE all ignition sources. Use only outdoors or in a well-ventilated area. Keep upwind for handling outdoors as much as possible. Keep unauthorized personnel away. Use clean non-sparking tools. Avoid contact with eyes, skin, and clothing. Prevent dust cloud and dust accumulation. Do not breathe powder, dust, shavings, borings, turnings or cuttings. As precautions for electrostatic discharge, inerting closed systems and explosion pressure venting of confined spaces are recommended.  In case of open system, prevent from insulator lining or coating of piping, duct, hopper, and apply grounding/ earthing of all conductive process units. Take precautionary measures against static electricity such as grounding and bonding, wearing anti-static footwear and clothing, using grounded conductive floor. Consult an expert about further precautionary measures for dust explosion.
<b>Advice on general occupational hygiene</b>	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep containers tightly closed.  
 Well ventilate by proper manner according to regional, national and local regulations. Protect against direct sunlight. Store in a dry place. Keep in a fire-proof designed place. Keep away from incompatible materials. See "10. Stability and reactivity". Keep away from food and feedstuffs. Store locked up.  
 Use package or container with anti-static discharge liner. All containers shall be properly labeled.

### 7.3 Specific end use(s)

<b>Recommendations</b>	Ventilate by appropriate method. (See "8. Exposure control/personal protection"). Install appropriate equipment and wear appropriate protective clothing. (See "8. Exposure control/personal protection") Use personal protective equipment as required. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands and face thoroughly after handling. Eating, drinking and smoking in work areas is prohibited. Contaminated work clothing should not be allowed out of the workplace.
<b>Industrial sector specific solutions</b>	No specific information available.

<b>SAFETY DATA SHEET</b>		<b>PR/EOHD/OHS/F-310</b>	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 5 of 10	

## SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 8.1 Control parameters

#### Occupational exposure limits

Substance	Form	TWA	STEL	Reference
Ethylene propylene ethylidene Nonbornene copolymer	Dust	3 mg/m <sup>3</sup> (Respirable)	-	ACGIH
	Dust	10 mg/m <sup>3</sup> (total)	-	ACGIH
Mineral oil	Mist	5 mg/m <sup>3</sup> (Inhalable)	-	ACGIH
Additives	-	-	-	-

#### Recommended monitoring procedures

If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

#### Derived No Effect Levels (DNEL):

Product/ingredient name	Exposure	Value	Population	Effects
Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-	-
Additives	No data available	-	-	-

#### Predicted No Effect Concentrations (PNEC) :


Product/ingredient name	Compartment Details	Value	Method Detail
Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
Additives	No data available	-	-
Mineral oil	No data available	-	-

### 8.2 Exposure controls

<b>Appropriate engineering controls</b>	If user operations generate dust, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
---	--

#### Individual protection measures

<b>Hygiene measures:</b>	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
<b>Eye/face protection:</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mist, gases or dusts. Recommended: safety glasses with side-shields
<b><u>Skin protection</u></b>	
<b>Hand protection:</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. For 8-hour full or splash contact with the material, use gloves made of butyl rubber with minimum layer thickness of 0.3 mm.
<b>Body protection:</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Other skin protection:</b>	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. If used in solution, or mixed with other substances, contact suppliers of approved gloves and skin protection. This is only advisory and must be evaluated on a case-to- case basis by specialists.
<b>Respiratory protection:</b>	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary or as backup to engineering controls. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: organic vapor filter (Type A)
<b>Environmental exposure controls:</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

<b>SAFETY DATA SHEET</b>		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 6 of 10	

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	
Physical state:	Solid (Bale)
Color:	Pale yellow
Odor:	Characteristic
Odor threshold :	Not applicable
pH :	No data available
Melting point/freezing point range:	No data available
Boiling point:	No data available
Flash point:	> 300 °C (> 572 °F)
Evaporation rate (Butyl acetate=1.0):	No data available
Flammability (solid, gas):	
Burning time:	No data available
Burning rate:	No data available
Upper/lower flammability or explosive limits:	Lower: No data available Upper: No data available
Vapor Pressure:	No data available
Vapor Specific Gravity (Air=1):	No data available
Specific gravity (water =1.0)	0.86 - 0.87
Solubility(ies):	Insoluble in water.
Partition coefficient; n-octane/water:	No data available
Auto-ignition temperature:	Ignition point: > 400 °C
Decomposition temperature:	450 °C (842 °F)
Viscosity:	Not applicable
Explosive properties:	No data available
Oxidizing properties:	No data available

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No specific test data related to reactivity available for this product.

### 10.2 Chemical stability

The product is stable under recommended storage conditions. When heated, decomposition gases may form explosive mixtures with air.

### 10.3 Possibility of hazardous reactions

Strong oxidizers: fire and explosion hazards.  
 Will form explosive mixtures with air.  
 Generation and diffusion of dust.  
 May form explosive dust cloud,

### 10.4 Conditions to avoid


Keep away from ignition sources, heat, sparks and flame, hot surfaces, accumulation of static electricity.

### 10.5. Incompatible materials

Oxidizing agents

### 10.6 Hazardous decomposition products


Under normal conditions of storage and use, hazardous decomposition products should not be produced. Carbon monoxide and hydrocarbons may be generated by heat.

<b>SAFETY DATA SHEET</b>		<b>PR/EOHD/OHS/F-310</b>	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 7 of 10	

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute Toxicity:	Product/ingredient name	Result	Species	Dose
<b>Oral</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	May be fatal if enters airways		
<b>Dermal</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	No data available		
<b>Inhalation</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	No data available	-	-
<b>Irritation/Skin Corrosivity:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		
<b>Irritation/Eye Corrosivity:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	Causes serious eye irritation		
<b>Sensitization (Respiratory):</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		
<b>Sensitization (Skin):</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		
<b>Mutagenicity:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		
<b>Carcinogenicity:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		
<b>Reproductive toxicity (Teratogenicity):</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		
<b>Specific target organ toxicity STOT (single exposure):</b>				
	Ethylene propylene ethylidene Nonbornene copolymer	No data available		
	Additives	No data available		
	Mineral oil	No data available		

<b>SAFETY DATA SHEET</b>		<b>PR/EOHD/OHS/F-310</b>	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 8 of 10	

<b>Specific target organ toxicity STOT (repeated exposure):</b>		
	Ethylene propylene ethylidene Nonbornene copolymer	No data available
	Additives	No data available
	Mineral oil	No data available
<b>Aspiration Hazards:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available
	Additives	No data available
	Mineral oil	May be fatal if swallowed and enters airways

## SECTION 12: Ecological information

<b>12.1 Toxicity</b>				
<b>Acute Toxicity:</b>	<b>Product/Ingredient name</b>	<b>Result</b>	<b>Species</b>	<b>Dose</b>
<b>Fish</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	LC50	Bluegill	> 10,000 mg/l, 96 hours
<b>Crustacea</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	No data available	-	-
<b>Algae</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	No data available	-	-
<b>Chronic Toxicity: Persistence/Durability:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	No data available	-	-
<b>Bioaccumulative potential:</b>	Ethylene propylene ethylidene Nonbornene copolymer	No data available	-	-
	Additives	No data available	-	-
	Mineral oil	No data available	-	-

<b>Mobility in soil</b>	
<b>Product/ingredient name</b>	<b>Result</b>
Ethylene propylene ethylidene Nonbornene copolymer	No data available
Additives	No data available
Mineral oil	No data available

### **12.2 Persistence and degradability**

**Conclusion/summary:** No data available

### **12.3 Bioaccumulative potential**

**Conclusion/summary:** No data available

### **12.4 Mobility in soil**

**Conclusion/summary:** No data available


### **12.5 Results of PBT and vPvB assessment**

Not considered either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative.

### **12.6 Other adverse effects**

No known significant effects or critical hazards.



<b>SAFETY DATA SHEET</b>		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 9 of 10	

### SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

<b>Product</b>	
<b>Methods of disposal:</b>	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
<b>Hazardous waste:</b>	The classification of the product may meet the criteria for a hazardous waste.
<b>Packaging</b>	
<b>Methods of disposal:</b>	The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
<b>Special precautions:</b>	This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.


### SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	None	None	None	None
14.2 UN proper shipping name	None	-	-	-
14.3 Transport hazard class(es)	None	None	None	None
14.4 Packing group	None	None	None	None
14.5 Environmental hazards	None	None	None	None
14.6 Special precautions for user	Not available	Not available	Not available	Not available
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	None	None	None	None

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EU Regulation (EC) No. 1907/2006 (REACH):</b> Planned to be registered.	
<b>Annex XIV - List of substances subject to authorization</b>	
<b>Substances of very high concern</b>	
No data available	
<b>Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	
No data available	
<b>Other EU regulations</b>	
<b>Europe inventory:</b>	All components are listed or exempted.
<b>Black List Chemicals:</b>	Not listed
<b>Priority List Chemicals:</b>	No data available
<b>Integrated pollution prevention and control list (IPPC) - Air:</b>	No data available
<b>Integrated pollution prevention and control list (IPPC) - Water:</b>	No data available

<b>SAFETY DATA SHEET</b>		PR/EOHD/OHS/F-310	 بترو رابغ Petro Rabigh
<b>PRODUCT NAME : ETHYLENE PROPYLENE RUBBER (OIL GRADE)</b>			
Reference No. SDS-09-0032	Revision No. 1.9 December 2, 2019	Page 10 of 10	

<b>International regulations</b>	
Chemical Weapons Convention List Schedule I Chemical:	Not listed
Chemical Weapons Convention List Schedule II Chemicals:	Not listed
Chemical Weapons Convention List Schedule III Chemicals:	Not listed
<b>15.2 Chemical Safety Assessment</b>	
This product contains substances for which Chemical Safety Assessments are still required.	

<b>SECTION 16: Other information</b>	
<u>Indicates information that has changed from previously issued version.</u>	
Abbreviations and acronyms:	None
Revision	1.9
Date of issue/ Date of revision:	12/02/2019
Date of previous issue:	07/29/2019
<b>DISCLAIMER:</b>	The information is based on our current and best knowledge and is intended to describe the product for the purpose of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. Petro Rabigh makes no warranty of any kind, expressed or implied, regarding the accuracy of these data. Petro Rabigh assumes no responsibility for injury from the use of the product described herein.